



**THREE-YEAR STRATEGIC PLAN  
FOR SUBSTANCE USE  
DISORDER PREVENTION,  
TREATMENT, AND RECOVERY  
SERVICES**

*Fiscal Years 2024-2026*

# Contents

I. The Region’s Epidemiological Profile and Prioritized SUD Problems of Impact .....	2
• A. Regional Demographics and Trend Data .....	2
• B. The PIHP’s Populations of Focus .....	4
• C. The PIHP’s Provider Network, Service Gaps and Barriers to Treatment .....	6
• D. The Extent and Prevalence of SUD in the Region, Including Consequences of SUD ....	7
• E. The PIHP’s Communicable Disease Prevention Effort.....	10
II. The PIHP’s Data-Driven Goals .....	11
• A. The PIHP’s Data Driven Goals for Prevention Services .....	12
• B. The PIHP’s Data Driven Goals for Treatment and Recovery Services .....	15
III. The PIHP’s Key Prevention, Treatment and Recovery Providers and Stakeholders .....	18
IV. The PIHP’s Key Decision-Making Processes .....	19
V. The PIHP’s Prevention and Treatment Logic Models .....	19
VI. The PIHP’s Allocation Plan.....	20
• A. The PIHP’s Commitment to 20% Prevention Allocation and Environmental Change .	20
• B. The PIHP’s Intent to Allocate Funding to EBPs.....	21
• C. The PIHP’s Commitment to Provider Maintenance and Enhancement.....	21
• D. The PIHP’s Commitment to Serve Priority Populations—Waitlist.....	22
• E: The PIHP’s Evidence of Problem Knowledge .....	22
• F: The PIHP’s Plan for Trauma Informed Care.....	22
VII. Implementation Plan and Timeline .....	23
VIII. The PIHP’s Evaluation Plan .....	23
• A. Prevention Services.....	23
• B. Preventing Youth Access to Tobacco .....	23
• C. Treatment and Recovery Evaluation Mechanisms.....	24
• D. Women’s Specialty Services.....	25
• E: Opiate Dependence Service Availability .....	26
IX. Cultural Competency .....	26

## **Introduction**

In accordance with *Section 274 of P.A 500 (Mental Health Code, P.A 258 as amended)*, Region 10 Pre-Paid In-Patient Health Plan (hereinafter the “PIHP”) developed the following three-year strategic plan for substance use disorder (SUD) services within the region’s boundaries. The PIHP’s strategic plan is consistent with the guidelines established by the Michigan Department of Health and Human Services (MDHHS). The plan consists of nine narratives addressing the key components necessary for implementing a Recovery Orientated System of Care (ROSC). The PIHP is committed to implementing a ROSC, including prevention, treatment, and recovery services that is conducive to an individual's recovery, as well as the community’s overall journey towards recovery.

### **I. The Region’s Epidemiological Profile and Prioritized SUD Problems of Impact**

The following narratives, *A- E.*, identify and prioritize the SUD problems impacting the region, with respect to a ROSC, including both prevention and treatment, as well as all other services necessary to support recovery. To identify populations of focus relevant to the access, use, and outcomes of the PIHP’s treatment and prevention efforts, the PIHP considered the region’s *Michigan Profile for Healthy Youth (MiPHY)* data, as well as *MDHHS Substance Use in Michigan Data* and the MDHHS “*Guidelines for Developing Three-Year Strategic Plans for Substance Use Disorder Prevention, Treatment and Recovery Services*” document. To prioritize SUD problems, the PIHP considered the epidemiological profile of the region and the extent and prevalence of SUD, along with the consequences of SUD that impact the region. In addition, the PIHP identified gaps of service and barriers to treatment, as well as described how the PIHP’s communicable disease efforts will continue to be implemented and maintained.

- **A. Regional Demographics and Trend Data**

The PIHP serves four counties located in the Eastern Lower Peninsula of Michigan. Region 10 consists of Genesee, St. Clair, Sanilac, and Lapeer counties, with a combined population of approximately 691,571 people. Geographic and demographic information for each county is outlined below, extracted from *2020-2022 Federal Census* data.

With a population of 401,983 people, Genesee County makes up the largest portion of the region’s population. The land area of Genesee County is 636.8 square miles yielding a population density of 637.8 people per square mile. As with the other counties in the region, English is the primary language spoken in Genesee County. The racial make-up of Genesee County varies significantly from that of the other 3 counties in the region. 75% of individuals residing in Genesee County self-identify as white/non-Hispanic, 20.3% self-identify as black/non-Hispanic, 3.9% self-identify as Hispanic or Latino, and 1.1% of the Genesee County population self-identify as Asian. Of the individuals residing in Genesee County, 51.5% are female. 22.3% of the population are under 18 years of age, while 18.2% of the population are over the age of 65. Of the adult population, 91.2% of people aged 25 and older hold a high school diploma or higher, and 22.2% hold a bachelor’s degree or higher. The median household income in Genesee County is \$54,052 which is \$9,150 less than the overall State of Michigan

median income. Approximately 70.5% of individuals who reside in Genesee County are homeowners. The county-wide poverty level is 16.3%, which is approximately 3.2% higher than the State of Michigan average.<sup>1</sup>

St. Clair County has a population of 160,151 people. The land area of St. Clair County is 721 square miles with a population density of 222.3 people per square mile. 93.9% of individuals residing in St. Clair County self-identify as white/non-Hispanic, 2.5% self-identify as black/non-Hispanic, 3.7% self-identify as Hispanic or Latino, less than 1% self-identify as Asian. Of the individuals residing in St. Clair County, 50.0% are female. 20.5% of the population are under 18 years of age, while 19.8% of the population are over the age of 65. Of the adult population, 91.8% of persons aged 25 years and older hold a high school diploma or higher, and 19.4% hold a bachelor's degree or higher. The median household income in St. Clair County is \$62,847 which is about equal to the overall State of Michigan median income. Approximately 79.9% of St. Clair County residents are homeowners and the poverty level is at 11.1%, which is approximately 2% lower than the state average.<sup>2</sup>

Sanilac County has a population of 40,657 people. The land area of Sanilac County is 962.3 square miles. Geographically, Sanilac County is the largest county in Michigan's Lower Peninsula. Sanilac County is the most rural county in the region, with a population density of 42.2 people per square mile. 93.3% of individuals residing in Sanilac County self-identify as white/non-Hispanic, less than 1% self-identify as black/non-Hispanic, and less than 2% self-identify as two or more races. Of those residing in Sanilac County, 49.7% are female. 21.2% of the population are under 18 years of age, while 22.7% of the population are over the age of 65. Of the adult population, 90% of persons aged 25 years old and older hold a high school diploma or higher, and 14.9% hold a bachelor's degree or higher. The median household income in Sanilac County is \$52,459 which is \$10,743 less than the overall State of Michigan median income. Approximately 79.5% of county residents are homeowners. The poverty level is 14.5%, which is approximately 1.4% higher than the state average.<sup>3</sup>

The population of Lapeer County is 88,780 people, with a land area of 644 square miles. Lapeer County is a rural area, with a population density of 137 people per square mile. 95.9% of individuals residing in Lapeer County self-identify as white/non-Hispanic, 1.3% self-identify as black/non-Hispanic, less than 1% self-identify as Asian, and 1.6% self-identify as two or more races. Of the individuals residing in Lapeer County, 48.8% are female. 20% of the population are under 18 years of age, while 19.5% of the population are over the age of 65. Of the adult population, 91.7% of persons aged 25 and older hold a high school diploma or higher, and 18.6% hold a bachelor's degree or higher. The median household income in Lapeer County is \$69,194 which is \$5,992 higher the overall State of Michigan median income. Approximately 86% of the

---

<sup>1</sup> Bureau, U.S.C. (n.d.-a.). Explore census data. <http://data.census.gov/table?q=poverty%2Bin%26michigan&y=2021>

<sup>2</sup> Bureau, U.S.C. (n.d.-a.). Explore census data.  
[https://data.census.gov/profile/St.\\_Clair\\_County,\\_Michigan?g=050XX00US26147](https://data.census.gov/profile/St._Clair_County,_Michigan?g=050XX00US26147)

<sup>3</sup>Bureau, U.S.C. (n.d.-a.). Explore census data.  
[https://data.census.gov/profile/Sanilac\\_County,\\_Michigan?g=050XX00US26151](https://data.census.gov/profile/Sanilac_County,_Michigan?g=050XX00US26151)

population are homeowners. The Lapeer County poverty level is 9.3%, which is approximately 3.8% less than the state average.<sup>4</sup>

St. Clair, Sanilac, and Lapeer counties show little racial diversity, with approximately 93-97% of their populations self-identifying as white/ non-Hispanic. Within those three counties, there is also a very low percentage of the population that self-identify as Hispanic and even less of the population self-identifying as black/ non-Hispanic, including less than 1% in Sanilac County. However, the racial makeup of Genesee County varies significantly from that of the other three counties in the region, with approximately 20% of the Genesee County population self-identifying as black/ non-Hispanic. Of the region's four counties, Genesee County has the highest poverty level and unemployment rates while Sanilac County has the lowest median income. All four of the region's counties have a lower portion of the population who have attained a bachelor's degree or higher than the State of Michigan average. Sanilac County, being the most rural of all four counties, has a slightly larger population of those over the age of 65, as compared with the state average.<sup>5</sup>

Refer to *Attachment I- pg. 2 Tables A- B* for a summary of the above demographic and trend data, extracted from *2022 Federal Census* data.

- **B. The PIHP's Populations of Focus**

The PIHP has identified the following populations of focus relating to the access, use, and outcomes of prevention, treatment, and recovery support in the region: individuals living in a rural community, women living with SUD who have dependent children, older adults (50+), and adults supervised by the Michigan Department of Corrections (MDOC) who are returning to their communities.

Individuals living in a rural community, specifically those living in Sanilac and Lapeer counties, are a population of focus due to an increased risk for the development of a SUD. 2019-22 MiPHY data is unavailable in Sanilac and Lapeer Counties however, the latest available data indicates a higher percentage of perceived ease of access to marijuana, Electronic Nicotine Delivery System (ENDS) and nicotine products, as compared with other counties in the region (see *Attachment I, pg.4 Table D*). The data also shows a much higher percentage of Sanilac County High School students who report past 30-day use of marijuana, as compared with other counties in the region (see *Attachment I- pg.4 Table D*). Further, the most recent available data shows a higher percentage of past 30-day use of a prescription medication that was taken non-medically for Sanilac County students. Rurally located adults have higher rates of alcohol abuse, tobacco use, and methamphetamine use. Various socioeconomic factors contribute to the increased rate of SUD in rural communities, including lower educational attainment, poverty, unemployment, and isolation.<sup>6</sup>

---

<sup>4</sup> Bureau, U.S.C. (n.d.-a.). Explore census data.

[https://data.census.gov/profile/Lapeer\\_County,\\_Michigan?g=050XX00US26087](https://data.census.gov/profile/Lapeer_County,_Michigan?g=050XX00US26087)

<sup>5</sup> Bureau, U.S.C. (n.d.-a.). Explore census data. <https://data.census.gov/cedsci/>

<sup>6</sup> *Rural Health Information Hub*. Substance Use and Misuse in Rural Areas Overview. (n.d). <https://www.ruralhealthinfo.org/topics/substance-use>

Women living with SUD who have dependent children are a population of focus in the region. From Fiscal Year (FY) 2017-19, the percentage of women that had dependent children at the time of admission to PIHP SUD treatment services increased by 6%. Nearly six percent (5.7%) of those admitted to PIHP SUD treatment services in FY22 reported that they had dependent children (see *Attachment I- pg. 6- Table G*). Approximately 5% of those admitted in FY22 were pregnant women (see *Attachment I, pg. 6, Table H*). In addition, the region had the highest rate of Neonatal Abstinence Syndrome (NAS) in the State of Michigan in 2019.<sup>7</sup> Research has shown that children of parents with a SUD were found to be of lower socioeconomic status and had more difficulties in academic, social, and family functioning when compared with children of parents who do not have a SUD. Children of parents with a SUD show an increased risk for the development of their own addiction or dependency. These children are also more likely to have higher rates of mental and behavioral health disorders. Based on data from the combined 2009 to 2014 National Surveys on Drug Use and Health (NSDUH), about 1 in 8 children (8.7 million) aged 17 or younger lived in households with at least one parent who had experienced a SUD in the past year.<sup>8</sup> Many of the PIHP's prevention efforts focus on children of those with a SUD. Early Intervention efforts targeting this population of focus are intended to help break the cycle of generational substance abuse.

Older adults (50+) are a population of focus with an increased risk for the development of a SUD. This population has shown a steady increase in admissions to PIHP SUD treatment services from FY20-22, moving from 21.5% to 23.1% (see *Attachment I- pg. 6 Table I*). The University of Michigan Institute for Healthcare Policy and Innovation's poll of older adults, aged 50-80, found that nearly a third of their participants had received a prescription for an opioid pain medicine. Yet, it was reported that adequate counseling was unavailable regarding the risks associated with potent painkillers, how to reduce their use, when to switch to a non-opioid option, or how to safely discard unused medications.<sup>9</sup>

Adults supervised by MDOC who are returning to their communities are a population of focus with an increased risk of SUD. While the exact rate of inmates with SUD is difficult to measure, some research shows that an estimated 65% percent of the United States prison population has an active SUD. Decades of research show that providing comprehensive substance use treatment to criminal offenders while and following incarceration works, reducing both drug use and crime after an inmate returns to the community.<sup>10</sup>

---

<sup>7</sup> Neonatal abstinence syndrome Michigan, 2010-2020. (n.d.) <https://www.michigan.gov/mdhhs/-/media/Project/Websites/mdhhs/MCH-Epidemiology/NAS-by-Prosperity-Region--May-2022.pdf>

<sup>8</sup> Lipari, R.N., & VanHorn, S. L. (2017, August 24). *Children Living with Parents who have a Substance Use Disorder*. [https://www.samhsa.gov/data/sites/default/files/report\\_3223/ShortReport-3223.html](https://www.samhsa.gov/data/sites/default/files/report_3223/ShortReport-3223.html)

<sup>9</sup>University of Michigan Medicine. (2018, July 30). *Opioids and Older Adults: Poll finds support for Prescribing Limits and need for better Counseling and Disposal Options*.

<sup>10</sup> U.S. Department of Health and Human Services. (2023, March 23). *Criminal justice drugfacts*. National Institutes of Health. <https://nida.nih.gov/publications/drugfacts/criminal-justice>

- **C. The PIHP’s Provider Network, Service Gaps and Barriers to Treatment**

The PIHP has a comprehensive array of SUD prevention, treatment, and recovery programming through its Provider Network, offering evidence-based services at over 50 locations across the region (see *Attachment I- pg. 7- Table J*). These services include, but are not limited to; Screening and Assessment, Withdrawal Management, Outpatient Treatment, Recovery Coaching, Recovery Housing, Medications for Addiction Treatment (MAT), Psychiatric Treatment, Women’s Specialty Services (WSS), Residential Treatment, Opioid Health Home (OHH), Naloxone Training and Distribution, Prevention services representing the six (6) Center for Substance Abuse Prevention (CSAP) strategies, and Case Management services.

Although the PIHP has established a wide network of at least 25 providers and a vast array of services, the PIHP continues to work to ensure that any gaps of service are filled and new data trends are incorporated. Prevention service gaps include school-based prevention services to address the increase in underage nicotine use and increasing service delivery to the region’s 50+ population. The PIHP has identified the following treatment service gaps within the region: access to MAT services, access to Recovery Coaching services, and access to Recovery Housing services. In addition, the PIHP has identified regional rural settings and the stigma associated with SUD as barriers to treatment within the region. Another barrier to treatment, specifically for individuals leaving withdrawal management, is being connected to appropriate recovery supports in a timely manner. This is a quality improvement area that the PIHP is committed to addressing.

Providers offering Medications for Opioid Use Disorder (MOUD) services in the region have been limited. There are two Opioid Treatment Program (OTP) providers located within the region’s boundaries – BioMed Behavioral Healthcare and Sacred Heart Rehabilitation Center (SHRC) - who are contracted with the PIHP. Between these two providers, they offer Opioid Health Home (OHH) services at five different sites. There continues to be no OTPs/Office Based Opioid Treatment (OBOT)s located in Lapeer and Sanilac counties that collaborate with the PIHP. Federally Qualified Health Centers (FQHCs) provide limited MOUD in Genesee and Lapeer counties. St. Clair County residents who utilize MAT have often traveled to the closest SHRC location by bus, funded by the PIHP. St. Clair County Community Mental Health (SCCCMH) alleviated some of the service gaps with PIHP funding to provide this service, but there has remained an inadequate presence for most of the region. The number of unaffiliated physicians that will facilitate MOUD throughout the region has been minimal. The PIHP will issue a Request for Proposal (RFP) for the provision of MOUD services with a strong preference towards provider(s) who would offer services within regional boundaries. In the wake of the X-Waiver being removed in the beginning of 2023, the PIHP foresees an increase of more medical professionals willing to treat Opioid Use Disorder (OUD) with medication, concurring with Michigan Department of Health and Human Services (MDHHS) survey results (2022).<sup>11</sup> The PIHP expanded support for those choosing MOUD within the region with the OHH during the COVID-19 Pandemic to address this gap of service and has continued to fund the Mobile Care

---

<sup>11</sup> MDHHS. (2022) *Buprenorphine Prescribing Practices, Barriers, and Facilitators Survey Results*. Opioid Resources <https://www.michigan.gov/lara/-/media/Project/Websites/lara/communications/Buprenorphine-Prescribing-Practices-Survey-Summary-2022.pdf>

Unit (MCU) in Genesee County. Currently, the PIHP funds MAT in the St. Clair County Intervention and Detention Center (SCCIDC) and is working on expanding medication options to best meet the needs of individuals involved with the criminal justice system.

The availability of Recovery Housing services is limited within the region. Recovery Housing services are not available in Lapeer and Sanilac counties. Recovery Housing providers often report being at capacity, with individuals waiting for placement into appropriate Recovery Housing facilities. While St. Clair and Genesee County residents have access to Recovery Housing services located within their counties, there is still a limited number of beds. Region 10 added a Recovery Housing provider in 2022. The additional provider, Great Lakes Recovery Mission, is planning to open a Recovery Housing location in Sanilac County in FY24. This will be a start toward filling the Recovery Housing gap in that county, but still leaves Lapeer County without any Recovery Housing services.

The rural communities within the region face additional barriers for access to SUD prevention and treatment services. These barriers include lower income and lack of transportation to services, which could be located further away. Sanilac County, being the most rural community in the region, has the lowest median income of the four counties. SUD can be especially hard to combat in rural communities due to limited resources for prevention, treatment, and recovery, as discussed in narrative *I.B.*

In addition, the general stigma surrounding SUD continues to be a barrier to individuals seeking and receiving treatment in the region. People who experience stigma regarding their substance use disorder may be less likely to seek treatment, and this results in increased economic, social, and medical costs. MDHHS launched the “End the Stigma” campaign at the State level, focusing on changing the language used surrounding SUD. The stigma and misconceptions that impact public understanding of mental health (MH) and SUD can potentially discourage individuals from seeking help. Additionally, the National Institute on Drug Abuse (NIDA) has expanded resources and training for health professionals and communities with the “Words Matter” trainings in 2021 to support breaking down the continued stigma. <sup>12</sup>

- **D. The Extent and Prevalence of SUD in the Region, Including Consequences of SUD**

To quantify the regional need for prevention, treatment, and recovery services, the PIHP reviewed *National Survey on Drug Use and Health (NSDUH)* data for key findings. Below is the most recent data extracted, due to SAMHSA’s decision to not combine data from 2018-2020 for methodological concerns from the COVID-19 pandemic. Additional data was obtained from MDHHS involving substance use traffic crashes and overdoses in 2021.

- From 2016-18, the average past month illicit drug use percentage for those over the age of 12 within the region was 13.87%. Of those, 3.6% reported using an illicit drug other than marijuana, coming in lower than both the state and national averages (illicit drugs

---

<sup>12</sup>U.S. Department of Health and Human Services. (2023, March 8). *Words Matter – Terms to Use and Avoid When Talking About Addiction*. National Institutes of Health. <https://nida.nih.gov/nidamed-medical-health-professionals/health-professions-education/words-matter-terms-to-use-avoid-when-talking-about-addiction>

include marijuana, heroin, prescription type psychotherapeutics used non-medically, cocaine (including crack), hallucinogens and inhalants).<sup>13</sup>

- From 2016-2018, alcohol, marijuana, cocaine, and methamphetamines were the most abused primary substances in the region.<sup>14</sup>
- From 2016-18, 49.22% of persons over the age of 12 within the region reported alcohol use in the past month, with 26.26% reporting an alcohol binge in the past month. For persons aged 12 or older, 11.89% reported marijuana use in the past month, 2% reported cocaine use with the last year, and .34% reported methamphetamine use within the past year. Of persons over the age of 12, 4.76% reported use of nonmedical pain relievers in the past year.<sup>15</sup>
- In 2021, 627 traffic crashes in the region were alcohol-involved, 253 traffic crashes involved drugs.<sup>16</sup>
- In 2021, there were 294 drug overdose deaths in the region.<sup>17</sup>

To quantify the need for prevention, treatment, and recovery services in the region, the PIHP also considered 2019-22 MiPHY Survey data. Below is a summary of the region's key findings, extracted from the 2019-22 MiPHY Survey. Refer to *Attachment I, pgs. 3- 5- Tables C- F* for specific MiPHY data.

- 2018-22 MiPHY data shows an increase in St. Clair County Middle School students who reported an ease of access to alcohol.
- 2018-22 MiPHY data shows an increase in Genesee County Middle School students and St. Clair County Middle School students who reported an ease of access to marijuana.
- 2018-22 MiPHY data for both Genesee and St. Clair counties students shows a continued decrease in reported past 30-day tobacco use.
- 2018-22 MiPHY data for Genesee County Middle School students and St. Clair County Middle School students indicate an increased use of an electronic vapor product during the last 30 days.
- 2018-22 MiPHY data for Genesee County Middle School students and St. Clair County Middle School students shows an increase in the percentage of students that reported past 30-day use of an EVP.
- 2018-22 MiPHY data shows a slight increase in the percentage of Genesee County High School students and St. Clair County Middle School students who reported that they took a prescription medication, not prescribed to them in the past 30-days.

---

<sup>13</sup> 2016-2018 Nsdh substate region estimates – table. SAMHSA.gov (n.d.) <https://www.samhsa.gov/data/report/2016-2018-nsduh-substate-region-estimates-tables>

<sup>14</sup> 2016-2018 Nsdh substate region estimates – table. SAMHSA.gov (n.d.) <https://www.samhsa.gov/data/report/2016-2018-nsduh-substate-region-estimates-tables>

<sup>15</sup> 2016-2018 Nsdh substate region estimates – table. SAMHSA.gov (n.d.) <https://www.samhsa.gov/data/report/2016-2018-nsduh-substate-region-estimates-tables>

<sup>16</sup> *Michigan Traffic Crash*. Michigan Substance Use Disorder Data Repository. (2018, September 26). <https://mi-suddr.com/blog/2018/09/26/traffic-crashes/>

<sup>17</sup> *Drug Overdose Deaths*. Michigan Substance Use Disorder Data Repository. (2018, September 26). <https://mi-suddr.com/blog/2021/07/13/drug-overdose-deaths-crude-rates/> (accessed 05.2023)

Further, to quantify the regional need for prevention, treatment, and recovery services, the PIHP extracted baseline information from the PIHP's Open Admission Report for SUD treatment services and the billing summary information. Below is a summary of the key findings.

- During FY2022, there were 8,942 admissions for SUD treatment services in the region. This is an increase of 330 admissions compared to FY2021. For 35.8% of the FY2022 admissions, alcohol was the primary drug of choice. 22.4% reported heroin, 6.2% indicated marijuana, 10.1% listed other opiates, 12.9% stated cocaine (including crack), and 8.8% reported methamphetamine as the primary drug of choice.
- From FY2020 to FY2022, the top 3 primary drugs of misuse identified at admission were alcohol, heroin and other opiates, and cocaine/crack. The number of alcohol and cocaine/crack open admissions stayed relatively consistent, while heroin and other opiates open admissions slightly decreased. While the number of overall open admissions in the region increased from FY2020 to FY2022 (see *Attachment I, pg. 8- Table K*), consideration should be given to the ongoing pandemic during that timeframe, which could have influenced those seeking treatment due to health concerns.<sup>18</sup>
- From FY2020 to FY2022, there was a large decrease in the percentage of long-term residential open admissions. Although the largest percentage of SUD open admissions is for outpatient services, there was a sizable increase in the percentage of open admissions for intensive outpatient services. The percentage of open admissions for short-term residential also increased during this time (see *Attachment I, pg. 8- Table L*).
- From FY2020 to FY2022, there was a slight increase in the percentage of individuals identifying as unemployed at admission, while there was a decrease in the percentage of open admissions identifying as not in the workforce (see *Attachment I, pg. 9- Table M*).
- The number of unique consumers receiving MAT services, including Methadone administration, decreased from 1,288 to 991 between FY2020 to FY2022, with the number of units billed declining from 312,332 to 254,306. During this same time, the number of units billed for buprenorphine and suboxone administration increased indicating a rise in the use of all forms of MAT, not just methadone.
- The number of units (days) billed for Recovery Housing services increased by 6937, increasing from 50,862 units to 57,799 units from FY2020 to FY2022. This is an increase of 13.63% in two years, demonstrating an increase in demand for this service.

SUD is associated with numerous medical, psychiatric, psychological, spiritual, economic, social, family, and legal problems, creating a significant burden for affected individuals, their families, and society.<sup>19</sup> Substance use in the region has many consequences, including traffic crashes, hospitalizations, criminal activity, unemployment, dependency, and deaths.<sup>20</sup> Looking retrospectively at these consequences is critical in the planning of future initiatives. From 2019-2021 traffic crash data indicates an increase in 3 of the regions' 4 counties in reported Drug Involved Traffic Crashes with Lapeer County more than doubling the number of crashes

---

<sup>18</sup> Kozak, S. (2020, October 25). *Mental Health Issues, Substance Abuse Escalate as Access to Vital Care Dwindles*. Detroit Free Press. <https://www.freep.com/story/news/local/michigan/detroit/2020/10/25/pandemic-exasperates-mental-health-and-substance-abuse-issues/3726928001/>.

<sup>19</sup> Daley, D. C. (2013). Family and Social Aspects of Substance Use Disorders and Treatment. *Journal of food and drug analysis*, 21(4), S73-S76. <https://doi.org/10.1016/j.fda.2013.09.038>

<sup>20</sup> *Michigan Traffic Crash*. Michigan Substance Use Disorder Data Repository. (2018, September 26). <https://mi-suddr.com/blog/2018/09/26/traffic-crashes/>

involving drugs. During the same period, Sanilac County saw a negligible decline. Additionally, during the same period of 2019-2021, reported Injuries and Deaths Resulting from Traffic Crashes Involving Drugs increased in all of the PIHP counties.<sup>21</sup>

A comprehensive examination of relevant data, along with the MDHHS “*Guidelines for Developing Three-Year Strategic Plans for Substance Use Disorder Prevention, Treatment and Recovery Services*” document, led the PIHP to identify the following problems of focus in terms of prevention services: underage drinking in the region, underage marijuana use in the region, underage tobacco use in the region, and opioid prescription and over-the-counter drug abuse, including opiates in the region. In terms of treatment, the PIHP identified the following problems of focus: the need for additional MAT services in the region, the need for an increased number of recovery coaches, the need for increased capacity of Recovery Housing services, and the need for increased treatment services for women who have SUD that have dependent children.

The process of analyzing the data consisted of evaluation efforts by the PIHP’s staff and input from the Region 10 PIHP and SUD Oversight Policy Boards. In addition, the PIHP utilized contributions from prevention and treatment providers (i.e., examining their work plans, evaluation efforts, and feedback from providers and the community). Among the counties in our region, each may experience unique drug trends and patterns of use/misuse. Considerations may include trends in drug prevalence, cultural differences, ethnic, and socioeconomic status. These differences will be addressed on a local level to best meet the needs of each community.

We have also closely followed, and included in this plan, the work of the Opioids Task Force (OTF) and the Opioid Advisory Commission (OAC) to assure our incorporation of the important work they have done.<sup>22</sup> Our representatives recently presented information on the status of OUD to the OAC. The work of the OTF and OAC has been duly considered and integrated into our planning process and services.<sup>23</sup> We will continue to collaborate with those groups and municipalities, taking part directly in the receipt and deployment of opioid settlement funds. We appreciate all executive branch departments reinforcing our role and commitment with related groups and departments.

- **E. The PIHP’s Communicable Disease Prevention Effort**

The purpose of the PIHP’s communicable disease prevention effort is to promote service practices that focus on preventing and/or reducing the spread of communicable diseases among individuals who are at high-risk for exposure. The PIHP prioritizes best practices in this area and recognizes epidemiological studies that demonstrate higher prevalence of communicable disease amongst persons who use substances, thus placing users at a higher health risk for contraction and dissemination of infectious diseases. The PIHP’s efforts for communicable disease

---

<sup>21</sup> *Michigan Traffic Crash*. Michigan Substance Use Disorder Data Repository. (2018, September 26). <https://mi-suddr.com/blog/2018/09/26/traffic-crashes/>

<sup>22</sup> *Michigan Opioids Task Force*. SOM – State of Michigan. (n.d.). <https://www.michigan.gov/whitmer/appointments/oma/all/3/michigian-opioids-task-force>

<sup>23</sup> Opioid Advisory Commission. (n.d.) <https://council.legislature.mi.gov/Council/OAC>

prevention focus on the entire SUD provider network and are centered on the following strategies:

- Educational sessions and available resources for persons receiving SUD services at our in-patient detox, residential, and out-patient facilities.
- Information sessions are available throughout the entire year, and focus on education regarding HIV, TB, Hepatitis, and STIs.
- All providers of SUD treatment and recovery services are required to have and adhere to a Communicable Disease Policy, which contains protocols for identification of individuals with SUD who are at a higher risk for/have a communicable disease, to have access to community-based services for communicable disease prevention and treatment.
- Individuals entering residential detox/treatment are tested for Tuberculosis (TB) upon admission. Providers are also required to have policies and procedures in place that follow public health policy and are consistent with the MDHHS and Centers for Disease Control (CDC) guidelines and/or communicable disease best practice for cases in which a person tests positive to a TB test.
- All individuals receiving SUD treatment services with the PIHP who are identified as being infected with TB are referred for appropriate medical evaluation and treatment.
- All pregnant women presenting for treatment must have access to STD/Is and HIV testing and follow-up services as necessary.
- Recovery Housing Providers assure practitioners have the knowledge and skills adequate to meet communicable disease-related requirements through training or other means.
- Providers of SUD treatment services are required to screen persons entering treatment for risk of HIV/AIDS, STD/Is, TB, and hepatitis, and provide basic information about risk.

Adherence to these guidelines by the Provider Network will be monitored annually by the PIHP and reviewed during site visits.

Despite the end of the Public Health Emergency (PHE) due to the COVID-19 Pandemic on May 11, 2023, the PIHP has continued to provide support to mitigate risk factors and maintain needed safety measures. The PIHP will incorporate updates as it relates to telemedicine services and delivery of virtual programming as directed by applicable federal, state, and local governments. Further, the PIHP will continue to offer financial and other supports, as they become available, to providers that may be struggling with staffing retention and related issues due to the impacts of the COVID-19 Pandemic and consequential rollback of PHE implements. Resources and support will be provided to the network of PIHP providers which will include communications on implementation plan and timeline of the rollback. The PIHP will continue to provide the highest level of care and support in dealing with the inevitable aftereffects of the COVID-19 Pandemic on the region which will include access to services.

## **II. The PIHP's Data-Driven Goals**

The following narratives, *A.-B.*, describe the data-driven prevention and treatment goals set by the PIHP, in an effort to improve the PIHP's ROSC over the next 3 fiscal years. Each goal is

based on the region’s epidemiological profile and MDHHS/SUGE directive, along with the appropriate data and statistics. Each goal can be quantified, monitored, and evaluated for progress by the PIHP over the next 3 fiscal years.

- **A. The PIHP’s Data Driven Goals for Prevention Services**

After consideration of the region’s epidemiological profile, discussed in narrative *I.A*, along with the region’s MiPHY data, discussed in narratives *I.B- I.C*, the PIHP identified the following five (5) priority prevention goals: reduce rates of underage drinking, reduce rates of underage marijuana use, reduce rates of youth access to tobacco and electronic nicotine delivery system products, reduce rates of opioid prescription drug misuse, and reduce rates of older adult (50+) alcohol and opioid misuse.

### **1. Reduce Rates of Underage Drinking**

Regional 2018-2022 MiPHY data indicates an increase of ease in access to alcohol by both Middle and High School students. In addition, the data shows there was a decrease in students who reported having 5 or more drinks as moderate or great risk. This data supports a growing national concern regarding underage drinking in rural communities. The PIHP is interested in expanding community partnerships and relationships with key stakeholders in Sanilac County and Lapeer County to increase access to prevention services in rural communities. The PIHP will continue to contract with prevention service providers within the region to implement appropriate Center for Substance Abuse Prevention (CSAP) Strategies to reduce underage drinking.

The PIHP has identified the following objectives for meeting the above goal: educate youth/young adults and families about risk/harm of use, educate families about communicating with youth/young adults about alcohol use and expectations not to use, and implement robust community and environmental prevention strategies to address underage access to alcohol. These objectives will be measured by EBP pre/post-test outcomes and regional MiPHY data.

### **2. Reduce Rates of Underage Marijuana Use**

2018-2022 MiPHY data for the region indicates an increase in Middle School students who reported an ease in access to marijuana. In addition, the data indicates perceived risk of marijuana use by students has decreased, and past 30-day use of marijuana increased in both High School and Middle School responses (see *Attachment I, pg. 4- Table D*). Research suggests that early exposure to cannabinoids is likely to precede the use of other licit and illicit substances and the development of addiction to other substances later in life. These findings are consistent with the idea of marijuana as a “gateway drug.”<sup>24</sup>

The legalization of recreational marijuana use in Michigan in 2018 may have impacted the increase in perception of risk and increased use among Middle School and High School students.

---

<sup>24</sup> U.S. Department of Health and Human Service. (2021a, May 24). *Is marijuana a gateway drug?*. National Institutes of Health. <https://nida.nih.gov/publications/research-reports/marijuana/marijuana-gateway-drug>

The PIHP will continue to partner with prevention service providers within the region to implement appropriate CSAP Strategies to reduce underage marijuana use.

Despite an increase in Middle School ease of access to marijuana, throughout 2021-22 there was a decrease in ease of access to marijuana reported in St. Clair County High School Students. Additionally, the perceived risk of marijuana use from 2021-22 increased at both High School and Middle School.

The PIHP has identified the following objectives for meeting the above goal: educate youth/young adults and families about risk/harm of underage marijuana use, educate families about communicating with youth/young adults about marijuana use and expectations not to use, implement environmental prevention strategies to address underage marijuana use. These objectives will be measured by EBP pre/post-test outcomes and regional MiPHY data.

### **3. Reduce Rates of Youth Access to Tobacco**

2020-22 MiPHY data indicates a much higher percentage of past 30-day tobacco use by Middle School students living within Saint Clair and Genesee Counties. Synar retailer violation rates increased significantly from 2020 (16.7%) to 2021 (32.5%) and remained high during 2022 (24.0%), indicating a need for the PIHP to increase efforts to improve Youth Tobacco Act (YTA) compliance. Although 2020-21 MiPHY data indicates a decrease in the reported past 30-day tobacco use by High School students in the region, a large increase was reported for past 30-day use of an EVPs by Middle School students. The data indicates the need for continued implementation of CSAP strategies within these communities to reduce youth access to tobacco, particularly addressing the increase in EVPs. The PIHP will continue to contract with prevention service providers in each county within the region to conduct increased YTA activities to decrease youth access to tobacco.

The PIHP has identified the following objectives for meeting the above goal; contract with a provider in each county for Designated Youth Tobacco Use Representative (DYTUR) to provide tobacco vendor education to retailers, update the Master Retailer List (MRL), and conduct non-SYNAR and SYNAR tobacco compliance checks. These objectives will be measured by EBP pre/post-test outcomes, regional MiPHY data and review of Synar compliance data.

### **4. Reduce Rates of Youth Prescription Drug Abuse**

2018-20 MiPHY data indicates a decrease in the perception of risk for Genesee County Middle School students who reported that they took a prescription medication, not prescribed to them in the past 30-days (see *Attachment I, pg. 5- Table F*). The data indicates the need for increased intervention with Middle School students. Research shows that opioid prescription drug use in adolescence poses significant risks for opioid-related adverse outcomes and OUD in adulthood. Conversely, youth who are committed to academic achievement and finishing school, have a strong bond with their parent, and whose parent's express disapproval of substance use, are at lower risk of substance abuse.<sup>25</sup> Targeting youth and young adults is imperative to reducing the

---

<sup>25</sup> *Substance use in adolescence*. HHS Office of Population Affairs. (n.d.-a.) <https://opa.hhs.gov/adolescent-health/substance-use-adolescence>.

long-term rates of opioid prescription drug misuse within the region. The PIHP will continue to partner with prevention service providers within the region to implement appropriate CSAP Strategies to reduce opioid prescription drug abuse.

The PIHP has identified the following objectives for meeting the above goal: educate youth/young adults and families about risk/harm of opioid prescription drug abuse, disseminate a statewide media campaign, educate families about communicating with youth/young adults about opioid prescription drug abuse, engage in community-based strategies and implement environmental prevention strategies to address opioid prescription drug abuse. These objectives will be measured by EBP pre/post-test outcomes and regional MiPHY data.

### **5. Reduce Rates of Older Adult (55+) Alcohol and Opioid Abuse**

According to the PIHP's FY22 Open Admissions Summary Report, 23.1% of those admitted to the PIHP's SUD services were at least 50 years of age (see *Attachment I- pg. 7- Table I*). This demonstrates an increase from FY20 at 21.5%. The percentage of individuals over age 65 is higher in 3 counties in our region, Lapeer, Sanilac, and St. Clair, when compared to the state's percentage. Research suggests that substance misuse has continued to be public health issue among the nation's older adults. Older adults are more likely than people in other age groups to have chronic health conditions and to take prescription medication, which may further complicate adverse effects of substance use.<sup>26</sup>

To address alcohol and opioid misuse among older adults, the PIHP will prioritize programming, backed by quantitative data and a community need, for this older adult population. The PIHP has expanded services targeted to this population which included the Program to Encourage Active, Rewarding Lives for Seniors (PEARLS). The PIHP will partner with prevention service providers in Genesee County to foster coalition development, provide technical assistance and training, and ensure the implementation of evidenced-based programs. The PIHP will partner with prevention service providers within the region to implement appropriate CSAP strategies to reduce alcohol and opioid use among older adults.

The PIHP has identified the following objectives for meeting the above goal: educate older adults and families about factors that make older adults more vulnerable to alcohol and opioid misuse and the risk/harm of alcohol and opioid abuse, implement environmental prevention strategies to address alcohol and opioid abuse amongst older adults. This education component will be completed via evidence-based programs, delivered in full fidelity. These objectives will be measured by EBP pre/post-test outcomes.

---

<sup>26</sup> Wu, L.-T. (2020, June 17). *Substance use and misuse in older adults: A need for research and Intervention*. OUP Academic. <https://academic.oup.com/gerontologist/article/60/6/1184/5858934>

- **B. The PIHP’s Data Driven Goals for Treatment and Recovery Services**

After consideration of the region’s demographic data and SUD prevalence, as discussed in narrative 1. *The Region’s Epidemiological Profile and Prioritized SUD Problems of Impact*, the PIHP identified the following six treatment goals: increase the region’s capacity for MAT, increase the region’s access to Recovery Coaching services, increase the region’s access to Recovery Housing services, increase the treatment services and recovery supports for women with SUD who have dependent children, and increase access to treatment services for adults supervised by the MDOC who are returning to their communities. An increase in the number of admissions to SUD treatment and recovery services will necessitate an increase in the capacity of providers in the region. Within this trend, the demand for detoxification services, short-term residential services, MAT, and Recovery Housing services has been increasing in the past two years.

### **1. Increase the Region’s Capacity for MAT**

The use of Medications for Opioid Use Disorder (MOUD) has increased over the previous years in response to the Opioid Epidemic. While the admission data indicates a decreasing trend in heroin as the primary drug of choice from 2020-2022, there was an increase of other opiates and synthetics at the same time. Heroin and other opiates/synthetics account for 33.4% of primary substances of use in FY2022, according to the admission data (see *Attachment I, pg. 8-Table K*). In 2023, the CDC released a report stating that the growing research has been showing access to MOUD, combined with telehealth services, reduces fatal overdose deaths.<sup>27</sup> More health providers are anticipated to utilize treatment for individuals with MAT, specifically those with the ability to prescribe buprenorphine, due to the end of the X-Waiver certification at the end of 2022.<sup>28</sup> Qualified health providers that use naltrexone and methadone to treat SUD will be needed within the region. During 2021, the PIHP launched its first Opioid Health Home (OHH), an evidence-based program focused on integrated health care. Since that time, the OHH program has expanded to include 5 sites between two providers, Scared Hearth Rehabilitation Center and BioMed Behavioral Health. In the spring of 2023, the PIHP successfully exceeded the metric performance standard benchmarks set by the state. With an increase in the number of MAT providers, there will be an increase in the accessibility to these treatment services for individuals in the region.

The PIHP has identified the following objectives to meet the above goal: continued support of EBPs to treat OUD in all SUD treatment and recovery services providers, increase opportunities for qualified health providers to partner with PIHP to become an OHH, and improve access to MOUD by utilizing mobile services and increasing service locations. These objectives will be

---

<sup>27</sup> *Increased use of telehealth services and medications for opioid use disorder during the COVID-19 pandemic associated with reduced risk for fatal overdose.* CMS. (n.d.). <https://www.cdc.gov/media/releases/2023/p0329-covid-opioids.html>

<sup>28</sup> *State Models for Addressing Opioid Use Disorders: Recovery Support in Integrated Care Settings.* National Council for Mental Wellbeing. (2023, January 3). <https://www.thenationalcouncil.org/resources/state-models-for-addressing-opioid-use-disorders-recovery-support-in-integrated-care-settings/>

monitored by the evaluation of PIHP Open Admission Report data and measurement of Performance Indicators (PIs).

## **2. Increase the Region's Access to Recovery Housing**

Recovery Housing services are a necessary support to enhance the outcomes for long term recovery from SUD. While recovery homes are available in Genesee and St. Clair counties, no homes exist in Lapeer or Sanilac counties. The PIHP would like to support Recovery Housing services in these counties, in conjunction with access to SUD treatment services including Recovery Coaching. As the need for Recovery Housing has grown, so have the concerns about the standards for this service. Michigan Association for Recovery Residences (MARR) is the appropriate organization to evaluate and certify homes as meeting the National Association of Recovery Residences (NARR) standards. The PIHP contractually requires Recovery Housing providers to obtain MARR certification. MARR review and certification increases cost, in terms of provider staff and monetary resources, which will impact the cost of those services/supports across the region. Additionally, more family friendly Recovery Housing services are necessary to support women with dependent children and their specialized recovery needs.

The PIHP has identified the following objectives to meet the above goal: increase the number of recovery homes located physically with the region, provide necessary resources and support for the MARR certification of recovery homes, and increase the resources needed for family recovery homes in the region. These objectives will be monitored by the evaluation of PIHP Open Admission Report data and measurement of PIs.

## **3. Increase the Region's Access to Recovery Coaches**

Recovery Coaching services are essential in the initial and ongoing engagement of individuals into the SUD treatment and recovery process, at times meeting the person in the emergency department immediately following an overdose. The Recovery Coach is instrumental in facilitating admission to treatment and introducing the consumer to the recovery community for additional support. Region 10 utilizes a peer recovery coach through our Access Center to engage individuals in services. This American Rescue Plan Act (ARPA) funded position is intended to increase the number of individuals that participate in the initial intake appointment. Should an individual fail to complete their intake appointment, the peer recovery coach initiates personal follow-up to support their engagement in recovery services.

For interested and qualified individuals, training and certification is required for the delivery of Recovery Coaching services. Recovery Coaches provide information about the multiple pathways that exist for recovery. Recovery Coaches are often a key partner in the SUD treatment continuum regarding linking and engagement in services. Research confirms that better long-term outcomes are more likely the longer individuals remain engaged in treatment services and recovery supports.<sup>29</sup>

---

<sup>29</sup> U.S. Department of Health and Human Services. (2023b, March 9). *Treatment and Recovery*. National Institutes of Health. <https://nida.nih.gov/publications/drugs-brains-behavior-science-addiction/treatment-recovery>

The PIHP has identified the following objectives to meet the above goal: continuous support of training and certification opportunities for Recovery Coaches, continuous training on evolving EBPs surrounding the various recovery pathways, and continuous training and monitoring of engagement in treatment and recovery services. These objectives will be monitored by the evaluation of PIHP Open Admission Report data and measurement of PIs.

#### **4. Increase the Treatment Services and Recovery Supports for Women with SUD that have Dependent Children**

As discussed in narrative *I.B.*, the PIHP Open Admissions data depicts an increase in the number of women with dependent children entering treatment and recovery services within the region over the past 3 fiscal years. During 2019, the region had the highest number of infants born with Neonatal Abstinence Syndrome (NAS) in the State of Michigan, accounting for more than 1/3 of the cases statewide.<sup>30</sup> The region has two sizeable Women's Specialty Services (WSS) providers and a regional Level IV Neonatal Intensive Care Unit (NICU) in Genesee County, where many of the women with high-risk pregnancies receive services. An additional Women's Specialty Services program is located in Lapeer County. Continued specialized care and a variety of support services are utilized by these women and their children. Children of parents with a SUD are at higher risk of developing a SUD and other behavioral health concerns. Beginning in 2016, the PIHP has facilitated a conference to address the recovery of women with SUD in the region. The goal of this event is to introduce women, and the professional staff members working with them, to the myriad of resources that are available to them and their families while they are addressing their SUD recovery.

The PIHP has identified the following objectives to meet the above goal: provide education and support for SUD providers on the assessment of women of childbearing age upon admission for WSS, continue to facilitate the Women's Recovery Conference annually, and support training and education about the impact of SUD on women and their children. These objectives will be monitored by the evaluation of PIHP Open Admission Report data and measurement of PIs.

#### **5. Increase Access to Treatment Services for Adults Supervised by the Department of Corrections who are Returning to their Communities**

Individuals who are returning to their communities following incarceration are at an increased risk of SUD, as discussed in narrative *I.B.* Under an arrangement between the MDOC and MDHHS, the PIHP's designated providers are responsible for medically necessary community-based SUD treatment services for enrollees under the supervision of the MDOC once those enrollees are no longer incarcerated. It is the goal of the PIHP that those returning to their communities following incarceration can access the essential treatment services necessary to maintain recovery and thus, reduce recidivism rates.

---

<sup>30</sup>Neonatal abstinence syndrome Michigan, 2010-2020. (n.d.) <https://www.michigan/gove/mdhhs/-/media/Project/Websites/mdhhs/MCH-Epidemiology/NAS-by-Prosperity-Region--May-2022.pdf>

Objectives to meet the above goal include creating a new PIHP staffing position to address MDOC referrals, providing guidance to the providers to ensure they are aware of this priority population and enhancing provider abilities to serve this population through training and support. These objectives will be monitored by the evaluation of PIHP Open Admission Report data and measurement of PIs.

## **6. Combat the Effects of the COVID-19 Pandemic**

While the long-term impact of COVID-19 on SUD Treatment Programming is unknown, data has shown that alcohol sales increased significantly during the pandemic.<sup>31</sup> The PIHP also experienced an increase in the number of individuals reporting alcohol as their primary drug of choice at admission. It is anticipated that this trend will continue, as will the increasing demand for services to address Alcohol Use Disorder (AUD). Withdrawal from alcohol can be fatal and requires a skilled clinician to determine the best course of action. Detoxification facilities will need continued support for this type of treatment and additional training on EBPs to treat these individuals.

Objectives to meet the above goal include increasing support for detoxification facilities and their staff in the EBPs for alcohol withdrawal through training and providing support for an anti-stigma media campaign surrounding the treatment for AUD. These objectives will be monitored by the evaluation of PIHP Open Admission Report data.

## **III. The PIHP's Key Prevention, Treatment and Recovery Providers and Stakeholders**

As stated in PIHP *Policy #06-02-01: Collaborative Work between Health Care*, the PIHP is committed to collaborating with local public and private community-based organizations and health care providers to address prevalent human conditions and issues that relate to a shared customer base to provide a more holistic health care experience for the individual. Collaboration takes place in formal partnered agreements among service providers/ practitioners that result in coordinated systems of care, as detailed within a person's comprehensive plan of service.

In addition, the PIHP coordinates with several of the regions public and private service delivery systems by participating in various coalitions across the region. The face-to-face relationships with many of these stakeholders occur through local community collaborative bodies in which community need, including mental health (MH) and SUD, the corresponding intersection are discussed, and collaborative relationships are built. The PIHP strives to have strong relationships with key public and private sector community stakeholders in the region. The PIHP's relationships with key stakeholders are an imperative component of treatment and prevention capacity, as stakeholders are a key to increased resources.

For prevention, the PIHP has partnered with at least nine (9) community organizations, such as community coalitions, nonprofit and not for profit organizations, and criminal justice systems that are working to reduce the impact of substance abuse and other harmful behaviors in their

---

<sup>31</sup> Lee, B.P., Dodge, J.L., Leventhal, A., & Terrault, N.A. (2021). Retail Alcohol and Tobacco Sales During COVID-19. *Annals of internal medicine*, 174(7), 1027-1029. <https://doi.org/10.7326/M20-7271>

communities. These combined efforts and resources are critical to meeting the PIHP's priority prevention goals. Refer to *Attachment I, pg. 9- Table N.* for a comprehensive list of stakeholders with whom the PIHP has formed a relationship.

For treatment, the PIHP has partnered with multiple key service providers and stakeholders in the region, such as rehabilitation centers, Federally Qualified Health Centers, and criminal justice systems, to create a robust provider network of treatment services. Contracts, letters of agreement (LOAs), and memorandums of understanding (MOUs) demonstrate the collaboration that is occurring between these providers/stakeholders and the PIHP. During each fiscal year, these LOAs and MOUs will be reviewed to ensure they are accurate and up to date. The PIHP will work to ensure that all stakeholders and providers outlined in this plan are included in the review. Refer to *Attachment I, pg. 7, Table J* for a comprehensive list of the PIHP's contracted SUD prevention and treatment providers.

#### **IV. The PIHP's Key Decision-Making Processes**

As stated in the PIHP's *Policy #01-01-01: Region 10 PIHP Board*, the PIHP is governed by a 15-member Board of Directors that provide leadership, governance, and oversight of the region. The Region 10 Board is made up of Community Mental Health Board members and citizens at large from each of the four covered counties. The PIHP Board has significant representation by people recovering from (and/or family members of people recovering from) mental health and substance use conditions. The PIHP Board has the primary responsibility to manage the Medicaid Specialty Services and Supports and SUD Services for the region. The Board is a policy setting body, the fiduciary of the Medicaid funds for the region, and holds the Medicaid Specialty Services and Supports contract with the MDHHS.

As stated in the PIHP's *Policy #01-01-03: Substance Use Disorder Oversight Policy Board*, the SUD Oversight Policy Board is charged with the review and approval of any SUD budget containing local funds for treatment or prevention of SUD. The composition of the SUD Oversight Policy Board requires representation from each county in the region. The SUD Oversight Policy Board provides advice and recommendations to the PIHP Board for SUD prevention and/or treatment services and contracts using other non-local funding sources. In addition, the SUD Oversight Policy Board reviews data from the Consumer Satisfaction Questionnaire (CSQ) regularly.

#### **V. The PIHP's Prevention and Treatment Logic Models**

The Prevention Logic Model created by the PIHP includes identification of the consequences of the primary SUD problems the region is attempting to prevent, intervening variables (risk and protective factors) impacting the problems, objectives for remedy, activities to employ for immediate and long-term outcomes, and counties where the activity will occur. The Prevention Logic Model was created based on relevant epidemiological data. Refer to *Attachment I, pgs. 10-15 Tables O.- S.* for the completed Prevention Logic Model.

The Treatment Logic Model created by the PIHP includes identification of the primary SUD problem(s) impacting the region based on epidemiological data; identification of strategies to

employ to impact the SUD problem(s); listing of activities leading to immediate outcomes; listing of outputs from the activities; intermediate and long-term outcomes; and counties where specific activities will occur. Refer to *Attachment I, pgs. 16- 19 Tables T.- W.* for the completed Treatment Logic Model.

As the PIHP developed both the Prevention and Treatment Logic Models, careful consideration was given to identifying EBPs, along with policies and practices that would address the region's service array necessary to support recovery. The completed logic models are a result of considering common risk and protective factors contributing to SUD and MH disorders and their consequences, analyzing substance use and treatment data for each county within the region, assessing the current array of provider services, and determining gaps in services. Continued needs assessment will be conducted to identify additional service needs and then identify appropriate evidence-based programming for implementation within the region's ROSC.

The PIHP consulted the MDHHS "*Guidance Document: Selecting, Planning, and Implementing Evidence-Based Interventions for the Prevention of Substance Use Disorders*" in the creation of the logic models. In addition, programming being implemented by current providers was reviewed and assessed for best fit with the service population and identified priority area. It is a goal of the PIHP that EBPs be implemented in a ROSC. The MDHHS Guidance Document will be utilized to increase the ability for local prevention planners' assessment of prevention interventions based on the effectiveness of the intervention. This allows implementation of EBPs with a balance between fidelity and necessary local adaptations, and to demonstrate the relationship between evidence and achieving outcomes.

## **VI. The PIHP's Allocation Plan**

The following narratives, *A.-F.*, describe the provision of the PIHP's allocation plan, derived from input of the SUD Oversight Policy Board for funding a ROSC. The allocation plan includes both prevention and treatment initiatives necessary to support recovery in the identified communities of greatest need consistent with the data-driven, needs-based approach, and EBPs. The PIHP agrees to abide by the provision that at least 20% of Community Grant funding will be set aside for prevention services. In addition, the PIHP agrees to allocate funding to implement a full continuum of EBPs for individuals who are seeking treatment and recovery support services in the region. The PIHP will maintain and enhance the provider panel for SUD prevention and treatment services. Priority populations will be served according to the appropriate guidelines. Lastly, the PIHP agrees to implement a plan for a trauma informed system of care.

- **A. The PIHP's Commitment to 20% Prevention Allocation and Environmental Change**

As stated in the contract between MDHHS and the PIHP, the PIHP agrees to abide by the provision that at least 20% of Community Grant funding will be set aside for prevention services. The PIHP plans to focus on primary prevention targeting environmental change, SUD prevention, and health promotion, over the next 3 fiscal years.

The PIHP is currently pursuing workforce development related initiatives in SUD prevention and treatment services. The PIHP actively monitors the need for trainings and requests feedback from current prevention and treatment staff about training concerns. In an effort to promote and support continued workforce development, the PIHP forwards information about upcoming free/low-cost trainings specific to skills and Michigan Certified Board of Addiction Professionals (MCBAP) requirements to all prevention providers. The PIHP will continue to do this over the next 3 fiscal years.

Prevention and health promotion are areas that the PIHP's prevention providers have been focusing on since 2015. The EBPs for which funding is planned not only address substance abuse prevention, but also many areas of emotional, physical health and/or mental health promotion. Continuing to utilize EBPs with a focus on primary prevention that addresses the shared risk and protective factors for both mental health and substance abuse is something that the PIHP will continue to pursue and implement. Some of the shared risk and protective factors that our EBPs address include one's ability to control emotions/behaviors, effective communication, positive self-esteem, ability to use coping and problem-solving skills, parental involvement including monitoring and clear expectations expressed on behavior/substance use, and policies limiting youth access to substances. Key stakeholders in the community, such as local health departments and medical facilities, also support our quest for health promotion.

The PIHP is not aware of any active tribal entities in the region. If this changes over the course of the next 3 fiscal years, the PIHP will create a plan to collaborate with the tribal entity.

- **B. The PIHP's Intent to Allocate Funding to EBPs**

The PIHP continues to assess EBPs and policies to identify the service array necessary in support of best-practices for prevention, treatment, and recovery. The PIHP is contracted with prevention service providers throughout the region to implement EBPs. Strategies, including alternative, community based, educational, environmental, information dissemination, and problem identification and referral will continue to be implemented by contracted prevention service providers and coalitions to meet the priority prevention goals identified. Refer to *Attachment I, pg. 20, Table X* for a comprehensive list of the EBPs implemented throughout the region.

- **C. The PIHP's Commitment to Provider Maintenance and Enhancement**

The PIHP strives to maintain and enhance our SUD Treatment and Prevention Provider Network through regular communication, training, and collaboration. The majority of the PIHP's current SUD Providers began engaging with the PIHP at its inception. Contract monitoring is facilitated by PIHP staff throughout each contract period. This extensive monitoring process includes desk audits for the review of written materials and in-person visits at the facility with the provider. The PIHP hosts regularly scheduled provider network meetings, which include all providers and allow for direct communication between all parties. These meetings, with PIHP representation, incorporate presentations on trending topics of concern or interest in the region.

The PIHP has identified a deficit of SUD Providers in Sanilac and Lapeer counties, as compared with the other two counties. As previously stated, the PIHP is interested in expanding community

partnerships and relationships with key stakeholders in rural communities in an effort to increase access to prevention and treatment services in rural communities. Refer to *Attachment I, pg. 7, Table J*.

- **D. The PIHP's Commitment to Serve Priority Populations—Waitlist**

As stated in the PIHP's Policy #05-01-04: *SUD Waitlist*, the PIHP is committed to providing access to treatment services for priority populations, first and foremost. These populations include, but are not limited to, pregnant women, injecting drug users, parents at risk of losing their children due the effects of SUD, and adults supervised by the Department of Corrections who are returning to their communities. The PIHP has established a waitlist policy as required by federal block grant rules. In accordance with federal requirements, the PIHP will report on programs providing treatment for priority populations.

The PIHP operates an Access Management System (AMS) via the Port Huron Access Center. This center operates within PIHP policies pertaining to Utilization Management, Clinical Practice Guidelines, Access Standards, and Customer Services Standards, as directed within the MDHHS contract with the PIHP. Waitlist responsibilities are maintained directly within AMS operations, as the PIHP policy specifically outlines the requirements and monitoring of waitlist practices. In conjunction, monitoring of the SUD provider waitlist process/procedures also takes place through the AMS.

- **E: The PIHP's Evidence of Problem Knowledge**

Evidence of the PIHP's knowledge of regional SUD problems is based on the data analysis provided in narrative *I.D*. After review of relevant local, regional, state, and national data, the PIHP developed the Prevention and Treatment Logic Models (see *Attachment I, pgs. 11-19, Table O.- W.*) which specifically address the known SUD problems in the region. Funding of local prevention and treatment efforts through the PIHP's allocation plan requires the utilization of EBPs. This includes programs such as Guiding Good Choices, Botvin Life Skills, Motivation Interviewing, etc. (see *Attachment I- pg. 20, Table X*).

- **F: The PIHP's Plan for Trauma Informed Care**

As stated in the PIHP's Policy #05-01-01: *Access to Services*, the PIHP's Access Center is staffed by professionals who are trained in trauma informed care practices. The PIHP promotes pathways to recovery that reduce stigma, recognize resiliency and the strengths of persons served, and their natural supports. The PIHP's AMS fully complies, in policy and practice, with MDHHS philosophies of person-centered, self-determined, recovery oriented and trauma-informed care in the least restrictive environments possible. SUD prevention and treatment programs across the region provide services that are trauma informed. The PIHP supports training initiatives for trauma informed care services for individual clinicians serving the region.

The PIHP's annual Women's Recovery Conference focuses on trauma informed care practices. In addition, *Seeking Safety* is an example of an EBP that is utilized by several PIHP SUD

providers in the region. SUD providers continue to express interest in expanding trauma informed programing and include trauma informed trainings as part of their staff training plans.

## **VII. Implementation Plan and Timeline**

While the PIHP currently has a comprehensive provider network in the region, expansion and development of capacity is an on-going task. See *Attachment I, pgs. 21-22, Table Y* for the PIHP's implementation task-list, including completion dates, for key prevention, treatment, and recovery service goals.

## **VIII. The PIHP's Evaluation Plan**

The following narratives. *A.- E.*, describe the PIHP's evaluation plan for identifying baseline, process, and outcome data for implementing a ROSC that includes prevention and treatment, as well as all other services necessary to support recovery. For prevention, the PIHP identified the proposed outcomes of prevention goals, as well as the percentage of EBPs implemented in the region. For treatment and other recovery services, the PIHP identified evaluation mechanisms to track performance in health and safety, administration, and treatment penetration rates for selected populations. The PIHP also included an evaluation plan for measuring the outcomes of WSS and for treatment of persons with OUD.

- **A. Prevention Services**

To ensure completion of the proposed outcomes identified in the Prevention Logic Model (see *Attachment I- pgs. 10-15- Table O.- S.*), the Strategic Prevention Framework (SPF) will be utilized. The SPF includes needs assessment, capacity review, planning, implementation, and evaluation. The PIHP will use regional data and regional MiPHY data to assess needs throughout the region and build capacity for prevention services. The PIHP strategic plan will serve as guidance to identify appropriate CSAP strategies to meet priority prevention goals. Per the Michigan Prevention Data System (MPDS) Manual, 90% of all prevention services implemented will be EBP. Process outcomes will be evaluated for all prevention services through satisfaction surveys and outcome evaluations. Immediate and long-term outcomes will be evaluated through EBP pre/post-tests and regional MiPHY data. Synar retailer violation rates will be used to evaluate YTA activities. The PIHP will continue to contract with prevention service providers to administer the MPDS outcome survey. The PIHP will use the process and outcome data collected to direct prevention service delivery throughout the region.

- **B. Preventing Youth Access to Tobacco**

The process used to determine the consequences and intervening variables associated with youth access to tobacco involved review of past Synar compliance data, non-Synar compliance data, retailer violation rates, and overall retailer response to vendor education activities. In addition, the PIHP considered youth smoking rates within the counties of the region. The data indicates that retailers are selling tobacco products to youth under the age of 21, and research has

identified that the availability of tobacco products to youth leads to increased nicotine addiction among teens and adults.<sup>32</sup>

In December 2019, the Federal Food, Drug, and Cosmetic Act was amended raising the federal minimum age of sale of tobacco products from 18 to 21 years. On July 21, 2022, Governor Whitmer signed into law Public Acts 167, 168, 169, and 170 of 2022 with immediate effect, which established tobacco 21 as well as other similar provisions. The PIHP following MDHHS guidance implemented the Tobacco21 legislation into Synar activity. Synar protocol has incorporated the addition of Vape and Electronic Nicotine Delivery Systems (ENDS) also being requested during routine Synar inspections beginning in FY22. Continued vendor education and compliance checks will be employed with the retailing segments shown most likely to sell, with special emphasis on convenience stores and gas stations. Other tobacco retailers will be identified through random sampling of each county's master retailer list. The PIHP plans to fund non-Synar and vendor education for 25-50% of the region's Retail Master List (MRL).

- **C. Treatment and Recovery Evaluation Mechanisms**

The PIHP employs the following evaluation mechanisms to track performance of treatment and other recovery services:

- **Health and Safety:** SUD provider programs are required by the PIHP's *Policy #07-01-03: Sentinel Events, Critical Incidents and Risk Events* to have processes in place to conduct risk management, including the reporting and monitoring/evaluation of critical incidents, reporting and monitoring/evaluation of unexpected deaths, and reporting of sentinel events to the PIHP Sentinel Events Review Committee (SERC). The SERC and the PIHP Contract Management Department ensure accurate and timely reporting by provider programs within the SUD network and conduct follow-up reviews when necessary.
- **Administration:** As stated in the PIHP's *Policy #04-01-01: Budgeting*, the PIHP is committed to using a Budget Process Tool that creates stability and consistency regarding the planned distribution of funds to support agency operations. An effect budget, in conjunction with short-term and long-term program planning, allows for the maximum utilization of public funds to support clinical and clinical support programs. In addition, the PIHP's *Policy #04.02.01: Auditing* states that the PIHP will maintain a system of financial monitoring, control and reporting for all operations and funds to provide effective means of ensuring that the overall PIHP goals and objectives are met.

---

<sup>32</sup> Centers for Disease Control and Prevention. (2022, November 10). *Youth and Tobacco Use*. (2019, December 10). [https://www.cdc.gov/tobacco/data\\_statistics/fact\\_sheets/youth\\_data/tobacco\\_use/index.htm](https://www.cdc.gov/tobacco/data_statistics/fact_sheets/youth_data/tobacco_use/index.htm)

- Treatment Penetration Rates: The PIHP will continue to monitor treatment penetration rates for youth and young adults, women of childbearing age, minorities, and persons with OUD to ensure the threshold for penetration is met.

In conjunction, the PIHP's *Policy #01-05-01: Utilization Management Programs* states that the PIHP operates within a Quality Assessment and Performance Improvement Program (QAPIP) that includes an Improving Practices Leadership Team (IPLT). A key operational area within the IPLT is to identify and support the implementation of both MH and SUD EBP's throughout the region. This structure ensures an informative and supportive share-and-learn process. A second key operational area within IPLT is its monitoring of the utilization of Clinical Practice Guidelines (CPGs) established for the PIHP. In this regard, the FY21 Biannual CPG evaluation report assessed and updated all SUD CPGs, which included ASAM level of care guidelines and SUD best practices promulgated by the American Psychiatric Association. Also included in the report was an annual-effectiveness evaluation of MAT guidelines. Further, the PIHP Utilization Management (UM) Program conducts a variety of Utilization Review (UR) activities. The UM Program conducts prospective and concurrent UR through the AMS, including monitoring of SUD second opinion reviews. All Access clinicians receive training in ASAM and, in addition to LARA regulations for SUD practice credentials, all SUD programs are required by the PIHP to provide co-occurring capable treatment. The PIHP's UM Committee oversees annual retrospective UR on sampled SUD case records to help ensure effective recovery-based clinic practices, ASAM-informed level of care, and adherence to medical necessity criteria.

- **D. Women's Specialty Services**

As stated in the PIHP's *Policy #05-03-06: SUD Women's Specialty Services*, the PIHP is committed to having care delivery guidelines for SUD Women's Specialty Services (WSS), in accordance with the MDHHS policies and contract. Federally mandated SUD services are made available to the priority populations of pregnant women, women with dependent children, and women attempting to regain custody of their children.

The PIHP has 3 designated WSS Programs which include: Sacred Heart Rehabilitation Center, Flint Odyssey House, and Alcohol Information and Counseling Center. The PIHP's WSS Programs provide a variety of treatment and recovery services including residential, intensive outpatient, outpatient, and recovery housing. The PIHP has increased its capacity to ensure women can access the appropriate treatment and recovery services, as needed.

The PIHP contracts with high quality WSS providers that have a strong desire and commitment to facilitate the best services available to the women and children in the region. The PIHP's WSS providers encourage women to participate in the annual Women's Recovery Conference.

While the PIHP has a full continuum of care available to women seeking services, the PIHP recognizes that there is no WSS program in Sanilac County. As previously discussed, rurally located individuals face additional barriers to treatment in the region. The PIHP will encourage the availability of gender competent practitioners in Sanilac County.

The PIHP will continue to conduct annual site visits and contract monitoring of WSS programs. In accordance with PIHP *Policy #01.06.05: Credentialing and Privileging*, the PIHP will facilitate organizational and individual credentialing reviews of all of those providing SUD services, including those with a gender competent designation and approved to provide WSS. WSS providers are required to submit information on an annual basis regarding unduplicated treatment services provided, designated specialty program information, outcome information, program information including any changes made to their program or services over the past year, and specific improvement areas.

- **E: Opiate Dependence Service Availability**

The PIHP has multiple locations throughout Genesee, St. Clair and Lapeer counties that are contracted to provide pharmacological support services to persons with OUD. Genesee Community Health Center (GCHC) combines primary health care and Suboxone services. Psychosocial supports and case management will continue to be offered at the GCHC Integrated Physical and Behavioral Healthcare Clinic. In partnership with GCHC, New Paths Sobering Facility and Recovery Coaches, a service is being offered as an alternative MAT service. Individuals with opiate dependence are screened at GHS, offered the option of receiving the assistance of a Recovery Coach and medication to support withdrawal. This has proven to be a clinically effective and economically feasible treatment modality.

Concurrently, the PIHP has established an integrated care coordination service program, Opioid Health Home (OHH), with Sacred Heart Rehabilitation Center and BioMed Behavioral Healthcare in Genesee and St. Clair Counties. The goal for the OHH's is to be a central point of contact and to expand care across the health care system. The PIHP plans to expand this program into other geographic areas and introduce Office Based Opioid Treatment (OBOT) where service gaps have been historically identified for this treatment method. In addition, the PIHP continues to fund the innovative Opioid Overdose Recovery Program (OORP) serving Genesee County. Program outcomes shall be reviewed to assess long-term effectiveness.

The PIHP will continue to evaluate new approaches to pharmacological support services during the next 3 fiscal years. The PIHP facilitates a MAT Workgroup which includes MAT providers and the PIHP's SUD administrative staff. This group discusses SAMHSA MAT Guidelines, how they are being implemented within their respective agencies, and gaps in MAT services in the region. The PIHP has developed a contract monitoring tool that identifies key factors found within the MAT Guidelines. This tool will continue to be used for the review of current policies and practices of MAT providers to ensure the completion of outcomes identified in the Treatment Logic Model (see *Attachment I- pg. 16, Table T.*)

## **IX. Cultural Competency**

The PIHP's *Policy #05-01-03: Cultural Competency* establishes the expectation of providing culturally appropriate services to all individuals. The PIHP's SUD network providers are expected to promote mutual respect and awareness of people of varied cultures. Each provider is

required to assess its overall program structure and identify if there are cultural issues in any specific program or for an individual within a program. Identification of and training on cultural issues will be on-going and will often occur at the individual program / person level. Providers will ensure pictures, posters, artwork, reading materials, brochures and videos reflect the diversity of cultures represented in the service area. Lastly, providers should communicate with people in the most functional way to accommodate their cultures.

Prevention and Treatment contracts between the PIHP and providers require Cultural Diversity training for all employees at initial hire. Training includes, but is not limited to, diversity issues in the workplace, embracing differences, and an understanding of what each unique person brings to an organization. Providers are required to maintain a copy of the training attestation and completed exam or training certificate, if applicable. Compliance with the PIHP's Cultural Competency Policy is evaluated during annual contract monitoring and site visits for all SUD network providers. The PIHP intends to examine racial disparities more thoroughly in access to and experience with SUD treatment. Additionally, providers will be encouraged to look at methods to identify and address implicit bias across the PIHP's network.

Region 10 recently initiated a Performance Improvement Plan (PIP) to address racial and ethnic disparities in show rates for initial intake appointments between African American/Black enrollees and other minorities as well as among Caucasian beneficiaries. PIHP staff met personally with providers to discuss and describe data collected from providers, strategies currently being utilized by providers to support treatment engagement, and additional activities for providers to implement for additional support for treatment engagement. Providers will send data to the PIHP regarding their success, challenges, and barriers to these activities. This data will be used to determine which strategies improved the show rate for the initial intake appointment for the African American/Black population.

## **Conclusion**

The PIHP is committed to implementing a ROSC, including prevention, treatment, and recovery services, that is conducive to an individual's recovery, as well as the community's needs and overall journey towards long term recovery. The PIHP's strategic plan is consistent with the guidelines established by the MDHHS. Outcomes will be determined as quarterly and annual data becomes available, to evaluate the effectiveness and applicability of the plan.